



www.prokarting.ca

WILDCAT



Minimum age & height requirement	Overall length	Overall width	Overall height	Overall weight	Ground clearance	Fuel capacity	Engine Model	Drive
10 years old & over - 48" & over	70"	44"	36"	375 lbs	2"	3.1 liters - 0.81 gallons	Honda GX160 or GX200 (4 stroke)	2 to 1 Honda clutch with belt drive

Axle	Seat belts	Brakes	Body	Color	Tires & rims	Wheel guard	Front Bumpers
1 1/4" (split or straight axle)	4 point harness	Hydraulic disk brake	Roto molded cross-link polyethylene	Black	5" 3-piece steel hubs & rims	UHMW polyethylene	4" impact absorbing rubber

***Specifications subject to change without notice.*



Pro-Karting Manufacturing inc. • 1-800-295-3707 • 7872 Fleuricourt, Montréal, Québec H1R 2L3 • prokarting79@gmail.com



www.prokarting.ca



JAGUAR

Minimum age & height requirement	Overall length	Overall width	Overall height	Overall weight	Ground clearance	Fuel capacity	Engine Model	Drive
16 years old & over - 60" & over	84"	49"	36"	520 lbs	2"	3.1 - 5.3 liters / 0.81-1.37 gallons	Honda GX160, GX200, GX270	2 to 1 Honda clutch with belt drive

Axle	Seat belts	Brakes	Body	Color	Tires & rims	Wheel guard	Front Bumpers
1 1/4" (split or straight axle)	4 point harness	Self-adjust hydraulic brake system	Roto molded cross-link polyethylene	Black decals TBD	5" 3-piece steel hubs & rims	UHMW polyethylene	4" impact absorbing rubber

***Specifications subject to change without notice.*



Pro-Karting Manufacturing inc. • 1-800-295-3707 • 7872 Fleuricourt, Montréal, Québec H1R 2L3 • prokarting79@gmail.com



www.prokarting.ca

STALLION



Minimum age & height requirement	Overall length	Overall width	Overall height	Overall weight	Ground clearance	Fuel capacity	Engine Model	Drive
16 years old & over - 60" & over	78"	50"	48"	430lbs	2"	3.1 - 5.3 liters / 0.81-1.37 gallons	Honda GX160, GX200, GX270	2 to 1 clutch with belt

Axle	Seat belts	Brakes	Body	Color	Tires & rims	Wheel guard	Front Bumpers
1 1/4" (split or straight axle)	4 point harness	Self-adjust hydraulic brake system	Fiberglass	TBD	5" 3-piece steel hubs & rims	UHMW polyethylene	4" impact absorbing rubber

***Specifications subject to change without notice.*



Pro-Karting Manufacturing inc. • 1-800-295-3707 • 7872 Fleuricourt, Montréal, Québec H1R 2L3 • prokarting79@gmail.com



www.prokarting.ca

CONDOR



Minimum age & height requirement	Overall length	Overall width	Overall height	Overall weight	Ground clearance	Fuel capacity	Engine Model	Drive
16 years old & over - 60" & over	84"	46"	48"	450 lbs	2"	3.1 - 5.3 liters / 0.81 - 1.37 gallons	Honda GX160, GX200, GX270	2 to 1 clutch with belt

Axle	Seat belts	Brakes	Body	Color	Tires & rims	Wheel guard	Front Bumpers
1 1/4" (split or straight axle)	4 point harness	Self-adjust hydraulic brake system	Fiberglass	TBD	5" 3-piece steel hubs & rims	UHMW polyethylene	4" impact absorbing rubber

*** Specifications subject to change without notice.*



Pro-Karting Manufacturing inc. • 1-800-295-3707 • 7872 Fleuricourt, Montréal, Québec H1R 2L3 • prokarting79@gmail.com



MINI EXTREME JR



Minimum age & height requirement	Overall length	Overall width	Overall height	Overall weight	Ground clearance	Fuel capacity	Engine Model	Drive
6 years old & over - 48" & over	63"	48"	24"	200lbs	2"	3.5 liters / 0.91 gallons	Honda GX160	2 to 1 clutch with belt drive

Axle	Seat belts	Brakes	Body	Color	Tires & rims	Wheel guard	Front Bumpers
30mm	N/A	Self-adjust hydraulic brake system	N/A	Black with decals TBD	5" with aluminium wheels	UHMW polyethylene	4" impact absorbing rubber

***Specifications subject to change without notice.*

also available





EXTREME (ADULT)



Minimum age & height requirement	Overall length	Overall width	Overall height	Overall weight	Ground clearance	Fuel capacity	Engine Model	Drive
16 years old & over - 60" & over	74"	54"	36"	250lbs	N/A	5 liters, 8 liters, 9 liters / 1.3 gallons, 2.08 gallons, 2.34 gallons	Honda GX270	2 to 1 clutch with belt drive

Axle	Seat belts	Brakes	Body	Color	Tires & rims	Wheel guard	Front Bumpers
30 mm	N/A	Self-adjust hydraulic brake system	N/A	Black decals TBD	5" 3-piece steel hubs & rims	UHMW polyethylene	3.5" impact absorbing rubber

*** Specifications subject to change without notice.*







www.prokarting.ca



Minimum age & height requirement	Overall length	Overall width	Overall height	Overall weight	Ground clearance	Fuel capacity	Engine Model	Drive
16 years old & over - 60" & over	80"	50"	48"	550 lbs	2"	3.1 - 5.3 liters / 0.81-1.37 gallons	Honda GX160, GX200, GX270	2 to 1 Honda clutch with belt drive

Axle	Seat belts	Brakes	Body	Color	Tires & rims	Wheel guard	Front Bumpers
1 1/4" (split or straight axle)	4 point harness	Self-adjust hydraulic brake system	Fiberglass	TBD	5" 3-piece steel hubs & rims	UHMW polyethylene	4" impact absorbing rubber

***Specifications subject to change without notice.*




Pro-Karting Manufacturing inc. • 1-800-295-3707 • 7872 Fleuricourt, Montréal, Québec H1R 2L3 • prokarting79@gmail.com



www.prokarting.ca


TYPHOON



Minimum age & height requirement	Overall length	Overall width	Overall height	Overall weight	Ground clearance	Fuel capacity	Engine Model	Drive
16 years old & over - 60" & over	86"	48"	48"	550 lbs	2"	3.1 - 5.3 liters / 0.81-1.37 gallons	Honda GX160, GX200, GX270	2 to 1 Honda clutch with belt drive

Axle	Seat belts	Brakes	Body	Color	Tires & rims	Wheel guard	Front Bumpers
1 1/4" (split or straight axle)	4 point harness	Self-adjust hydraulic brake system	Fiberglass	TBD	8" tires w/1 piece 8" rim	UHMW polyethylene	4" impact absorbing rubber

***Specifications subject to change without notice.*



Pro-Karting Manufacturing inc. • 1-800-295-3707 • 7872 Fleuricourt, Montréal, Québec H1R 2L3 • prokarting79@gmail.com



www.prokarting.ca




BARRACUDA



Minimum age & height requirement	Overall length	Overall width	Overall height	Overall weight	Ground clearance	Fuel capacity	Engine Model	Drive
16 years old & over - 60" & over	86"	48"	48"	450lbs	2"	3.1 - 5.3 liters / 0.81-1.37 gallons	Honda GX160, GX200, GX270	2 to 1 Honda clutch with belt drive

Axle	Seat belts	Brakes	Body	Color	Tires & rims	Wheel guard	Front Bumpers
1 1/4" (split or straight axle)	4 point harness	Self-adjust hydraulic brake system	Roto molded cross-link polyethylene	Black decals TBD	5" 3-piece steel hubs & rims	UHMW polyethylene	4" impact absorbing rubber

***Specifications subject to change without notice.*



Pro-Karting Manufacturing inc. • 1-800-295-3707 • 7872 Fleuricourt, Montréal, Québec H1R 2L3 • prokarting79@gmail.com



www.prokarting.ca



INVADER



Minimum age & height requirement	Overall length	Overall width	Overall height	Overall weight	Ground clearance	Fuel capacity	Engine Model	Drive
10 years old & over - 48" & over	74"	46"	36"	400lbs	2"	3.1 liters - 0.81 gallons	Honda GX160 or GX200 (4 stroke)	2 to 1 Honda clutch with belt drive

Axle	Seat belts	Brakes	Body	Color	Tires & rims	Wheel guard	Front Bumpers
1 1/4" (split or straight axle)	4 point harness	Hydraulic disk brake	Fiberglass	TBD	5" 3-piece steel hubs & rims	UHMW polyethylene	4" impact absorbing rubber

***Specifications subject to change without notice.*



Pro-Karting Manufacturing inc. • 1-800-295-3707 • 7872 Fleuricourt, Montréal, Québec H1R 2L3 • prokarting79@gmail.com